




Trimod Besta Niveauschalter
Trimod Besta level switch
Contrôleur de niveau Trimod Besta



Dimensionen / Dimensions [mm]			
D	185	d4/g	122
b	19		
k	145		
d2/l	18		
Anz./no:	8		

Überwurfflansch Composite flange Bride folle	H II
--	------

Schmelze /Heat no:	Code 21551
B-Nr:	503843

Dichteinheit Sealing unit Unité d'étanchéité	1.4571
--	--------

Schmelze /Heat no:	349230
B-Nr:	7640 503841

Schwimmer Float Flotteur	1.4571
--------------------------------	--------

Schmelze /Heat no:	
B-Nr:	

Typ Type Type	A 22C 04	Schaltmodul Switch module Mod. de commande	A	Flanschmodul Flange module Module de bride	22C	Schwimmermodul Float module Module de flotteur	04
---------------------	-----------------	--	----------	--	------------	--	-----------

Betriebstemperatur Operating temp. Temp. de service	0 to 330 °C	Gehäusematerial Housing material Matériau boîtier	Aluminium	Druck / Nennweite Pressure / Bore Pression / Diamètre	40 / 65	Schaltdifferenz Operating diff. Différentiel	12 mm
---	-------------	---	-----------	---	---------	--	-------

Umgebungstemp. Ambient temp. Temp. d'ambiance	0 to 70 °C	Kabeleinführung Cable entry Presse-étoupe	M 20x1,5	Norm Standard Norme	DIN 2501	Dichte min. Density min. Densité min.	0.7 kg/dm3
---	------------	---	----------	---------------------------	----------	---	------------

Schaltleistung Switch rating Pouvoir de coupure	5 A / 250 VAC 5 A / 30 VDC	Schutzart Enclosure Cl. de protection	IP 65	Dichtungsart Flange Facing Type d'étanch.	Form C	Prüfdruck Test pressure Press. d'épreuve	60 bar
---	-------------------------------	---	-------	---	--------	--	--------

Order no.	215652
Stk./ pcs./quant.	1
Date/Visa	11.06.03 / ME

BESTA

Ackerstrasse 45
CH - 8610 Uster / Switzerland
Phone +41 43 399 15 15
Fax +41 43 399 15 00
Email info@besta.ch
Internet www.besta.ch 010400/PH



Able Instruments & Controls Limited. Cutbush Park, Danehill, Lower Earley, Reading. Berkshire. RG6 4UT. UK.
Tel: +44 (0) 118 9311188 Fax: +44 (0) 118 9312161 Email: info@able.co.uk Web: www.able.co.uk Buy Online: www.247able.com